

Pattern Digest 2022

Passenger Car, SUV/4x4, and Light Truck Tires



www.giti.com

Table Of Contents

Introduction

-A Global Tire Company	3
-A Strong Presense All Around the World	4
_advan <u>z</u> tech	6
-Giti Motorsports Tires	9
—Tire Mapping	10
Product Range	
– Giti Control	14
- Giti Comfort	21
- Giti 4x4	32
— Giti Van	38
- Giti RunFlat	42
-Tire Knowledge	44
OEM Partners	46
-OEM Partnerships & Awards	47

A Singapore Based Global Tire Company

Giti Tire has been in the tire business for more than 70 years.

The company has become one of the world's largest tire manufacturers, serving customers in more than 130 countries.



R&D and Testing Centers

4 R&D in Germany, USA, China, Indonesia, and 1 testing center in Indonesia



Manufacturing Plants

3 in China, 1 in Indonesia 1 Newly opened in the US



10 Offices
Singapo

Singapore, Indonesia, Malaysia, China, U.S., Canada, U.K., Germany, France and Dubai



More than

30,000 Employees Worldwide



More than


70,000 Points of Sale In more than 130 countries



A Strong Presence All Around the World









advanztech

Giti utilizes state of the art equipment and high technologies to bring to reality forward-thinking innovative ideas.

The centers operate as one globally integrated R&D system with a shared technical knowledge management platform - AdvanZtech. There are a range of components that make up AdvanZtech, creating an all - encompassing platform that considers www.giti.com/en-us/product-services/advanztech driver needs from six key perspectives.





Quiet and Comfort

Some noise is inevitable while driving. However Giti Tire's pattern noise simulation system optimizes the design of its tires to quiet down the noise from the tire and road interaction. This technology eliminates annoying tire vibrations by combining testing, modal and transmissibility analysis, and structural analysis, improving overall ride comfort.



Green and Energy Efficient

Giti's low rolling resistance green and eco-friendly technologies reduce energy consumption, thus saving fuel, and protecting the environment. The low rolling resistance compound reduces friction between rubber molecules, which lowers energy consumption. This means less heat generation, less fuel, and better protection for the environment.



Safety Without Worry

Giti Tire participates in leading global motorsports events and applies the technology and experience to everyday tires. Safety performance is the core value of Giti tires. Through in-depth research on tire compound, pattern, and structure, Giti develops and applies safety-focused technologies that ensure strong grip and stability in all road conditions and applications.



Quality and Endurance

Tire endurance and wear performance determine tire mileage and application life. Specially formulated compounds from Giti improve the strength of rubber and enhance wear resistance of the tire. Giti also optimizes tire structure and pattern design to distribute tire footprint friction energy evenly, thus extending tire wear mileage.



Precise Control

The contact area between the tire and road provides the forces for a vehicle's drive impacting control perfomance. Through simulation and test technology, Giti optimizes its tire structure - fine - tuning tire stiffness, improving grip, and optimizing handling response. Giti Tire improves the dry/wet grip performance of its tires through optimization of compound and pattern design.



Smart and Innovative

Giti is actively engaged in the next generation innovative tire technologies. The latest smart tire technologies help reveal hidden safety hazards opening new frontiers for improved safety and performance.



Top Auto Manufacturers Trust Giti

By providing consistantly high-quality products and cultivating strong relationships throughout the years, Giti has earned the trust of vehicle manufacturers around the world.





















































Giti Motorsports Tires:

Challenging the Toughest Terrains, Conditions, and Competitions Around the World.



MAXIMUM ENDURANCE OVER 24 HOURS

Giti is participating in the 24 Hours Nürburgring for the third consecutive year, with four cars that includes an all-female VW racing team



Giti Compete



POWER UP TOMORROW'S RACING LEADERS

The Formula 3 Asian Championship series brings together top young drivers from around the world, competeing throughout Asia and the Middle East



Giti Compete



DRIVING BIG PERFORMANCE IN SMALL CARS

Giti is the official supplier of the VW Fun Cup in the UK



Giti Compete



HIGHLY SPIRITED FOR SPORTS CAR DRIVER CLUB

Formula V1 Challenge Series in Philippines powed by Giti Sport GTR3 RR1 tires



Giti*Sport*GTR3

RR1

O GAROS MI

OFF-ROAD TRIP WITH GITI 4X4

Giti has long supported the thrill and adventure of off-road driving and racing



Giti 4X4

AT 70



NO ROADS? NO PROBLEM!

Giti's offroad tires were put to the test in the Borneo Safari race in Malaysia







TAKING ON THE SANDY DUNES AND OTHER OBSTACLES

Sand and other rugged conditions are handled with these desert-focused tires




Giti Compete
DESERT 1

PASSENGER CAR



PCR Mapping

Rim Size:





SUV & 4x4 Mapping

Rim Size: 22" Sport^{S1} **P80** Sport^{s2} 17" *\$UV*880 15" 14" 13" 12" Highway **All Terrain** Urban

13





Giti Control P10

An ultra-high performance summer tire, the GitiControl P10 provides comfort and silent driving - bringing you and your family a safe and fun

Aspect Ratio:

35 - 60


Max. speed:

(7) 300km/h

EQUAL FORCE CASING DESIGN Improves overall handling, lowers irregular wear, and increases tire life.




Uses advanced computer calculation methods to get the most optimized pattern design, minimizing driving noise.





FEATURES & BENEFITS

COMFORTABLE AND QUIET



SOUND-MUTING WATER WAVE PATTERN

Based on the soft bionic structure design of water flow, the flowing lines can break the air flow in the main groove and optimize the tire noise


OPTIMAL DESIGN OF VARIABLE PITCH AND DISLOCATION

The design of three-band variable pitch and dislocation effectively optimizes the inside noise of a driving car, also improving driving comfort

PIPE NOISE OPTIMIZATION TECHNOLOGY

The optimized transverse grooves of the crown lead to the longitudinal grooves, effectively reducing the pipe resonance and unwanted sound

PRECISE CONTROL AND BRAKING SAFETY



3D DESIGN OF OUTER PERIMETER GROOVE

The outer main groove adopts 3D design, which accurately optimizes the stiffness of blocks and improves the control response for turning

OPTIMIZED DESIGN OF TRANSVERSE GROOVE'S CUTTING ANGLE

Achieves effective boundary curling inhibition effect, making the tire contact more uniform, while decreasing braking distance and to improving driving safety

GROOVE PRE-DEFORMATION TECHNOLOGY

A new groove pre-deformation design facilitates drainage and reduces the tread creep deformation to achieve precise control

The water film is 'sucked' into the transverse groove and then quickly discharged into the main groove. This process accelerates drainage, while ensuring wet grip performance and abrasion throughout the life cycle

WIDENED & OPTIMIZED POSITIONING OF LONGITUDINAL GROOVE

The optimized longitudinal groove ratio combines a widened groove in the middle, to obtain excellent drainage performance on wet roads

Control P10

P10	Size	Speed Rating	Load Index
17	225/50R17	W	94
	225/55R17	W	97
18	245/45R18	W	100
	235/40R18	W	95
	225/50R18	V	99
	245/40R18	Υ	93
	245/60R18	V	105
	235/45R18	Υ	98
	235/50R18	V	101
19	245/55R19	Н	103
	245/45R19	V	98
	225/45R19	W	92
	245/35R19	Υ	93

P10	Size	Speed Rating	Load Index
19	255/40R19	Y	100
	245/45R19	W	102
20	235/55R20	W	102
	255/40R20	Υ	101
	245/50R20	V	102
	235/50R20	W	104
	275/50R20	W	109
	255/45R20	W	101
	235/45R20	V	100
	245/45R20	W	103
21	265/45R21	V	108
22	275/40R22	W	107

Control P10 Mile

P10 RUNFLAT	\$17A		Load Index
18	245/45R18	W	100
	245/50R18	W	100
	225/45R18	Υ	95
	225/50R18	W	95
	245/40R18	Υ	97
19	245/45R19	Υ	98
	245/40R19	Υ	98
	275/40R19	Υ	101
	275/35R19	Υ	96



	Size	Speed Rating	Load Index
18	255/55R18	W	109
10	235/55R19	W	101
19	255/50R19	W	107
	255/55R19	W	111
20	235/55R20	W	102
	255/45R20	W	101
	255/50R20	V	109
	255/55R20	W	110
	265/45R20	Υ	104
	265/50R20	V	111
21	275/45R21	W	110
	295/35R21	Υ	107
22	265/40R22	V	106
	265/45R22	V	109



COMFORTABLE WHILE DRIVING

- Sufficient elastic of support ring, faster convergence while pulsation:

More comfortable in a normal tire pressure







PRECISE CONTROL

- Strong Cap ply with Aramid Fiber, with sidewall reinforce

Strengthen the crown and side wall, to improve the control performance



- Strong double-layer artificial silk materials: Enhance the impact of force of carcass and better control





SHORTER WET BRAKING DISTANCE

- Soft and smooth tread rubber with multi materials : Enhanced grip on wet ground









	Size	Speed Rating	
16	195/45R16	V	84
	215/45R16	٧	90
17	205/45R17	W	88
	215/45R17	W	91
	225/45R17	Υ	91
	225/45R17	Υ	94
	235/45R17	W	97
	245/40R17	Υ	91
	245/45R17	W	99
18	225/40R18	Υ	92
	225/45R18	Υ	95
	235/40R18	Υ	95
	235/45R18	W	98
	235/60R18	W	107
	245/40R18	Υ	97
	245/45R18	Υ	100
	255/35R18	Υ	94
	255/40R18	Υ	99
	255/45R18	W	103
	*255/55R18	Υ	109
	275/40R18	Υ	99

* for SUV sizes

D	Size	Speed Rating	
19	225/35R19	Υ	88
	225/40R19	Υ	93
	225/45R19	Υ	96
	235/35R19	Υ	91
	235/55R19	W	105
	245/40R19	Υ	98
	245/45R19	Υ	102
	255/35R19	Υ	96
	255/40R19	Υ	100
	*255/50R19	Υ	107
	*255/55R19	Υ	111
	275/40R19	Υ	105
20	245/35R20	Υ	95
	255/35R20	Υ	97
	255/45R20	W	105
	*265/45R20	Υ	104
	275/40R20	Υ	106
	*275/45R20	Υ	110
21	*295/35R21	Υ	107



EXCEPTIONAL HANDLING

- Innovative new tread compound for extremely short braking distances
- Balanced, stiff shoulders for precise steering and immediate response
- Optimized pattern block geometry & sequence for low noise and smooth riding





WET DRIVING SAFETY

- 4 Wide grooves for exceptional water drainage
- The GitiSport innovative compound uses a wet grip elastomer (a polymer with a high density) that gives it a superb flexibility. The result is a superb result in wet braking, confirmed by the tire A wet label grading





DURABILITY AND MILEAGE

- The usage of a long life elastomer, the compound is characterised by a high resistance to wear
- The curved shoulder design of GitiSport enables it to cut into the water, maximise the total contact area with the road and delays the onset of aquaplaning
- The extensive usage of Silica results in a reduced low energy loss









	Size	Speed Rating	Load Index
16	195/45R16	V	84
	205/45R16	W	87
	215/45R16	٧	90
17	205/40R17	Υ	84
	215/40R17	Υ	87
	205/45R17	W	88
	215/45R17	Υ	91
	225/45R17	Υ	94
	235/45R17	Υ	97
	245/45R17	W	99
18	255/35R18	Υ	94
	225/40R18	Υ	92
	235/40R18	Υ	95
	245/40R18	Υ	97
	225/45R18	Υ	95
	235/45R18	Υ	98
	245/45R18	Υ	100
	255/45R18	Υ	103
	255/55R18	Υ	109
19	225/35R19	Υ	88
	235/35R19	Υ	91

	Size	Speed Rating	Load Index
19	245/35R19	Υ	93
	255/35R19	Υ	96
	225/40R19	Υ	93
	235/40R19	Υ	96
	245/40R19	Υ	98
	255/40R19	Υ	100
	275/40R19	Υ	105
	225/45R19	Υ	96
	245/45R19	Υ	102
	255/50R19	Υ	107
	*235/55R19	W	105
	255/55R19	Υ	111
20	245/35R20	Υ	95
	255/35R20	Υ	97
	*275/40R20	Υ	106
	245/45R20	Υ	103
	*255/45R20	W	105
	265/45R20	Υ	104
	275/45R20	Υ	110
21	295/35R21	Υ	107



SMOOTH DRIVING

- Optimized pattern block geometry & sequence for low noise and smooth riding
- Strong center section for high speed stability and dry braking







ENHANCED GRIP

- Micro sipes provide suction effect for enhanced grip
- Balanced, stiff shoulders for precise steering and immediate response







WET DRIVING STRENGTHS

- 3 Wide grooves and an additional groove on the outer section for exceptional water drainage
- Innovative new tread compound for extremely short braking distances - Wet Label A
- 14% improved aquaplaning resistance from previous generation





^{*} for SUV sizes



				*
	Size	Speed Rating	Load Index	
,	225/45R17	W	91	•

98

97

99

92

95

94

101

104

100

100

99

99

107

92

98

100

104

101

99



Precision Handling

A unique construction that locks together for greater rigidity when traction is needed most, without giving up handling and wear performance.



SAFE AND STABLE

- Rigid aramid material in the tire crown for higher overall crown rigidity:

Good tread smoothness even under centrifugal force caused by high speed



- 3D sipes:

Increased contact area and groove drainage volume for enhanced grip and braking safety on wet ground






EASY CONTROL

- Tread compound formula inspired by auto-racing technology: High grip

- Block design with noise reduction technology







17

18

19

20

225/50R17

225/55R17

235/55ZR17

225/40R18

225/45R18

235/45R18

235/50ZR18

235/55ZR18

245/45ZR18

245/50ZR18

255/40R18

255/45ZR18

275/45ZR18

225/45ZR19

245/45ZR19

255/40ZR19

255/45ZR19

275/40ZR19

245/40ZR20

W

W

Υ

W

W

W

Υ

Υ

W

Υ

W

Υ

Υ

W

Υ

Υ

Υ

Υ



	Size	Speed Rating	Load Index
17	255/60R17	V	106
18	225/55R18	V	98
19	235/50R19	V	99
	255/45ZR19	W	100
	265/50ZR19	Υ	110
	275/45ZR19	Υ	108
20	245/45ZR20	W	103
	255/50ZR20	Υ	109
	275/40ZR20	Υ	106
	275/45ZR20	Υ	110
	295/40ZR20	Υ	110
21	265/45ZR21	W	104



A unique construction that locks together for greater rigidity when traction is needed most, without giving up handling and wear performance.



EXCEPTIONAL HANDLING

- Contour with wider contact area : Increased contact area Increasing stability of vehicle during turning





DURABILITY AND MILEAGE

- Double-layer high-strength polyester casing : Strong casing for impact resistance




- High-strength bead compound: Increasing the control sensitivity





	Size	Speed Rating	
12	145/70R12	Т	69
13	155/65R13	Н	73
	165/65R13	Т	77
	165/70R13	Т	83
	175/60R13	Н	77
	175/70R13	Т	82
	185/70R13	Т	86
14	155/65R14	Т	75
	165/60R14	Н	75
	165/70R14	Н	81
	175/60R14	Н	79
	175/65R14	Н	82
	175/70R14	Н	84
	185/60R14	Н	82
	185/65R14	Н	86
	185/70R14	Н	92
	195/60R14	Н	86
	195/70R14	Т	95
	205/60R14	Н	88
	205/75R14	S	95

Size			
175/60R15	Т	81	
175/65R15	Н	84	(
185/55R15	Н	82	
185/60R15	Н	84	
185/65R15	Н	88	
195/55R15	Н	85	
195/60R15	Н	88	
195/65R15	V	91	
205/65R15	V	94	
205/70R15	Т	96	
185/55R16	Н	83	
195/50R16	V	84	
195/55R16	Н	91	
205/55R16	V	91	
215/60R16	Н	95	
225/60R16	Н	98	
235/60R16	Н	100	
	175/60R15 175/65R15 185/55R15 185/60R15 185/65R15 195/55R15 195/60R15 205/65R15 205/70R15 185/55R16 195/55R16 195/55R16 205/55R16 205/55R16 215/60R16 225/60R16	175/60R15 T 175/65R15 H 185/55R15 H 185/65R15 H 185/65R15 H 195/55R15 H 195/60R15 H 195/65R15 V 205/65R15 V 205/70R15 T 185/55R16 H 195/55R16 H 205/55R16 V 215/60R16 H	175/60R15 T 81 175/65R15 H 84 185/55R15 H 84 185/65R15 H 84 185/65R15 H 88 195/55R15 H 85 195/60R15 H 88 195/65R15 V 91 205/65R15 V 94 205/70R15 T 96 185/55R16 H 83 195/55R16 H 83 195/55R16 H 91 205/55R16 V 91 205/55R16 H 91 205/55R16 H 91 205/55R16 H 95 225/60R16 H 98



advan<u>z</u>tech

Uses advanced computer calculation methods to get the most optimized pattern design, minimizing driving noise.



DURABILITY AND MILEAGE

- Reinforced sidewall technology

Improves overall handling,

lowers irregular wear, and

increases tire life.

- Strong impact resistance of the sidewall





- Mutual-support pattern block design: Enhanced tread rigidity and less chipping




- 5-pitch pattern design and 72-pitch arrangement: Less noise for more comfort





- Double-layer steel belt and cap ply structure with high constraint
- Strong tire crown for stable driving
- Increasing durability and mileage





methods to get the most optimized pattern design, minimizing driving noise.



NEV-OPTIMIZED STRUCTURE

Widened ribs and a thicker structure are designed to provide strong performance in Electric Vehicles, while also improving standard ones.

SPECIALIZED GROOVES ON SHOULDER


Level shoulder design provides more optimized vehicle control and performance.

CENTRAL GROOVES


Wider grooves improve tread block rigidity and wet grip, as well as maximize comfort and silent driving.



FEATURES & BENEFITS



	Size	Speed Rating	Load Index
15	185/60R15	Н	84
	185/65R15	Н	88
	195/65R15	Н	91
16	205/55R16	Н	94
	205/60R16	Н	99
	205/65R16	Н	99
	215/60R16	Н	99
17	205/50R17	Н	93
	215/55R17	V	98
	215/50R17	V	95
	225/55R17	V	101
	225/65R17	Н	106







This newly upgraded tire provides the advantages of comfort and low noise, while also delivering great control and handling for premium and modern vehicles.

Rim size:

16 - 18 "

Aspect Ratio:

45 - 65

Max. speed:

210 - 270 km/h



advanztech

Silent Tire Technology

Uses advanced computer calculation methods to get the most optimized pattern design, minimizing driving noise.



SMOOTH AND COMFORTABLE

- Micro grooves and optimized tread block design
- 3D sipes

Dispersion of airflow for lower airflow resonance noise





SAFE AND DURABLE

- soft and smooth tread rubber increasing shock absorption







		_	
	Size	Speed Rating	Load Index
14	185/70R14	Н	88
15	175/65R15	Н	88
	185/55R15	Н	86
	185/60R15	Н	88
	185/65R15	Н	88
	185/65R15	Т	88
	185/65R15	Н	92
	195/50R15	V	82
	195/55R15	V	85
	195/60R15	V	92
	195/65R15	V	91
	195/65R15	Н	95
16	195/55R16	V	91
	205/55R16	Н	91
	205/55R16	V	94
	205/60R16	Н	92
	215/55R16	W	97
	215/60R16	V	99
	225/55R16	W	99
17	225/45R17	V	94



WET DRIVING SAFETY

- Very good performance in wet conditions





ENERGY SAVING, ENVIRONMENT PROTECTION

- Latest tread compound for reduced rolling resistance
- New profile design for best fuel efficiency
- An outstanding addition to fuel-efficient vehicles





	Size	Speed Rating	Load Index	RR	WG
19	155/70R19	Q	84	В	В
20	195/55R20	Н	95	Α	В



NARROW SECTION

- Reduced drag, better aerodynamics
- Reduced rolling resistance
- Reduced tyre deformation



HIGH ASPECT RATIO

- Increased circumference
- Increase contact patch (+14% vs a standard 205/55R16)
- Improved handling



LARGE DIAMETER

- Reduced tyre deformation
- Improved rolling resistance



SPECIFIC LOW ENERGY COMPOUND

- Reduced Rolling resistance
- Long lasting wear life
- Outstanding grip on dry and wet roads



NEW PATTERN DESIGN

- Advanced pitch ratio for silent tyres
- Specific 3 wide grooves for water evacuation
- Hard shoulder blocks for dry handling





Size	Speed Rating	Load Index
185/60R14	Н	82
175/65R14	T	82
165/70R14	Т	81
195/50R15	٧	82
185/55R15	Н	82
195/55R15	V	85
185/60R15	Н	88
195/60R15	Н	88
175/65R15	Н	84
185/65R15	Н	88
185/65R15	T	88
195/65R15	Н	91
195/65R15	٧	91
195/65R15	Н	95
195/55R16	٧	91
205/55R16	Н	91
205/55R16	٧	91
205/55R16	W	91
215/55R16	W	97
225/55R16	W	99
205/60R16	Н	92
205/60R16	٧	96
215/60R16	٧	99
*215/65R16	Н	98
	185/60R14 175/65R14 165/70R15 185/55R15 195/55R15 185/60R15 195/60R15 175/65R15 185/65R15 195/65R15 195/65R15 195/65R16 205/55R16 205/55R16 205/55R16 205/55R16 205/55R16 205/55R16 205/60R16 205/60R16 205/60R16	185/60R14 H 175/65R14 T 165/70R14 T 195/50R15 V 185/55R15 H 195/55R15 V 185/60R15 H 195/60R15 H 175/65R15 H 185/65R15 H 185/65R15 H 195/65R15 H 195/65R15 H 195/65R16 V 205/55R16 W 205/55R16 W 215/55R16 W 225/55R16 W 225/56R16 H 205/60R16 H 205/60R16 V

	Size
17	205/50R17
	215/50R17
	225/50R17
	205/55R17
	*215/55R17
	225/55R17
	*235/55R17
	*215/60R17
	225/60R17
	*215/65R17
	*225/65R17
	*235/65R17
18	*235/50R18
	*225/50R18
	215/55R18
	225/55R18
	235/55R18
	225/60R18
	* 235/60R18



95

98

99 96 99

99

102 108

98

104 100

W 94 Y 101

W 99 V 99

LONGEVITY AND FUEL SAVINGS

- Optimized pattern block geometry & sequence for low noise and smooth riding
- Improved rolling resistance for lower emissions and fuel savings. RR label A in selected sizes





COMFORT AND SAFETY

- Large center blocks with 3D tread grooves deliver the utmost grip for better driving safety even on the wettest roads
- Contact (SFC) provides a better contact area where the tread meets the road. This profile also prevents tyre deformations while minimizing shoulder wear for longer tyre life





WET DRIVING STRENGTHS

- 4 Wide grooves for exceptional water drainage (3 grooves for section <195)
- Innovative new tread compound for extremely short braking distances Wet Label A
- 4% improved aquaplaning resistance from previous generation





3	Size	Speed Rating	Load Index
16	215/65R16	Н	102
17	215/60R17	Н	96
18	235/50R18	V	97
	235/65R18	V	106
	255/60R18	T	112
21	255/45R21	Н	102



COMFORTABLE AND QUIET

- Micro grooves and optimized tread block design to reduce noise resonance



- Random arrangement of five-segment variable pitch
- Balancing noise level. Soft and smooth tread rubber increasing shock absorption







SAFE AND DURABLE

- Tread with the special addition of silicone rubber molecules
- Improved tear resistance





	Size	Speed Rating	Load Index	Side Wall
16	225/70R16	Н	103	BSW
	235/60R16	Н	100	BSW
	245/70R16	Н	107	BSW
17	215/60R17	Н	96	BSW
	225/55R17	Н	101	BSW
	225/60R17	Н	99	BSW
	225/65R17	Н	102	BSW
	235/65R17	Н	104	BSW
18	225/60R18	V	100	BSW
	235/55R18	Н	100	BSW



EQUAL FORCE CASING DESIGN Improves overall handling, lowers irregular wear, and increases tire life.



Uses advanced computer calculation methods to get the most optimized pattern design, minimizing driving noise.



COMFORTABLE AND QUIET

- Fine scrambling pattern design: Reduces the frequency of noise generation



- Random arrangement of five-segment variable pitch
- Lower noise produced by airflow resonance in tread grooves







SAFE AND DURABLE

- 3B stiffness contour balance technology: Uniform force distribution on the tread



- High-rigidity tread pattern: More stable handling





	Size	Speed Rating	Load Index
16	205/55R16	V	91
	205/65R16	V	95
	215/55R16	V	93
	215/60R16	V	95
	225/60R16	Н	98
17	205/50R17	V	93
	205/55R17	Н	91
	215/50R17	V	95
	215/55R17	V	94
	225/45R17	V	91
	225/50R17	V	94
	225/55R17	V	97
18	215/50R18	Н	92
	225/40R18	V	92
	225/45R18	V	95
	225/50R18	Н	95
	235/45R18	V	94
	235/45R18	W	94
	235/50R18	V	97
	235/50R18	Н	101
	245/40R18	Υ	97



advanztech Giti Noise-Reduction Technology

The unique noise-reduction technology not only reduces the noise decibel value, but also improves the ride comfort.Lower rolling resistance and shorter braking distance on wet ground, bring pleasant and safe driving experience to drivers.



COMFORTABLE AND QUIET

- Accurately adjusted pattern length and alignment: Reduces noise of the patterns, improving ride comfort



- Multi-angle design of pattern grooves, to effectively suppress tire ground noise:
- -Reduces noise caused by pumping effect
- Silent design of tire outline and construction, and intelligent simulation evaluation method: Reduces noise caused by tire construction vibration





ENERGY SAVING, ENVIRONMENT PROTECTION

- Brand new silicon-oriented technology and mixing technology, decreasing heat from rubber
- Reduces heat from tire and rolling resistance, saving fuel





WET DRIVING SAFETY

- High-dispersion nano-silica and sipe system combines to break through residual water film: Improved hydrophilicity to shorten braking distance and improve the safety on wet ground





		Speed	Load
	Size	Rating	Index
16	215/65R16	Н	98
17	215/60R17	Н	96
	215/65R17	V	99
	225/60R17	Н	99
	225/65R17	Н	102
18	215/55R18	Н	95
	225/55R18	V	98
	225/60R18	Н	100
	235/55R18	V	100
	235/60R18	Н	103
	235/65R18	V	106
19	225/55R19	Н	99
	235/50R19	V	99
	235/55R19	V	101
	235/60R19	Н	107
20	255/45R20	Н	101





advanztech Giti Noise-Reduction Technology

*

The unique noise-reduction technology not only reduces the noise decibel value, but also improves the ride comfort. Lower rolling resistance and shorter braking distance on wet ground, bring pleasant and safe driving experience to drivers.



COMFORTABLE AND QUIET

- Accurately adjusted tread pattern block length and sorting order, realizing spectrum adjustment of pattern noise:



-Reduces pattern noise, improving the ride comfort

 Multi-angle design of pattern grooves, to effectively suppress tire ground noise:
 Reduces noise caused by pumping effect



- Silent design of tire outline and construction, and intelligent simulation evaluation method:
Reduces noise caused by tire construction vibration





ENERGY SAVING, ENVIRONMENT PROTECTION

- Dispersion-improved nano-silica reinforcing material, drastically reducing the amount of friction
- Restrains rising temperatures and reduces heat from tires, to save energy and fuel







WET DRIVING SAFETY

- Improved hydrophilic compound, combining with the sipe system to break through residual water film: Increases the ground area, improving grip strength on wet surfaces







50 - 70

(2) 180-190km/h

EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.





SHOULDER GUARDRAIL DESIGN

Prominent two-in-one combined shoulder design provides additional off-road traction



MAIN GROOVE GITI LOGO SHADING

Increase the sense of high-end products



WHITE SIDEWALL DESIGN

Improve product visual perception





SPECIAL DETAIL DESIGN AT THE BOTTOM OF **GROOVE**

Reduce stone residue



OPEN TRANSVERSE GROOVE DESIGN

Effectively remove sediment and improve off-road performance



SHOULDER ONE-THIRD TRANSVERSE GROOVE **DESIGN**

Block noise transmission




SEGMENTED DISCONTINUOUS TRANSVERSE TRENCH DESIGN

Improve stiffness and reduce noise



FEATURES & BENEFITS



	Size	PR	Speed Rating	Load Index	Side Wall	Noise Value	Noise Level	Wet Grip	Rolling resistance
17	225/65R17	-	Т	102	RWL	71	В	В	D
	LT245/65R17	6	S	105/102	RWL	72	В	Α	С
	LT265/65R17	10	S	120/117	RWL	72	В	Α	С
18	235/60R18	-	Т	103	BSW	71	В	С	D
	265/60R18	-	S	110	RWL	71	В	C	С
	265/70R18	-	S	116	RWL	71	В	C	С
	LT285/60R18	10	S	121/118	RWL	72	В	Α	С
20	LT285/50R20	10	S	119/116	RWL	72	В	Α	С



Load Size 31×10.50R15LT RWL 6 S 104/101 LT235/75R15 S 109 RWL 245/70R16 Т 111 **RWL** 16 255/70R16 Т 111 RWL 265/70R16 S 112 RWL 265/75R16 RWL S 116 LT225/75R16 S 118/116 RWI 10 LT235/70R16 6 S 104/101 RWL 111/109 LT245/70R16 6 S RWI LT245/75R16 10 S 120/116 **RWL** LT265/70R16 8 S 117/114 RWL 17 Т 245/75R17 112 **RWL** 255/65R17 Τ 110 **RWL** 265/65R17 Т 112 **RWL** 285/65R17 S 116 **RWL** LT265/65R17 10 S 120/117 **RWL** LT265/70R17 R 121/118 RWL 18 265/60R18 S 110 **RWL** 265/65R18 114 RWL Т 285/60R18 **RWL** Т 116 20 265/50R20 Т 111 RWL 265/55R20 Т 113 **RWL** 275/55R20 Т 117 **RWL**



EQUAL FORCE CASING DESIGN Improves overall handling, lowers irregular wear, and increases tire life.



Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.



OFF-ROAD PERFORMANCE

- Increased tread width: Improved grip



- Crown pattern block with gravel simulation design: Strengthened grip on gravel-paved surface



- Tread compound with higher natural rubber content: Tougher tread with higher resistance to cutting





SAFE AND DURABLE

- 3-layer casing + 5-layer sidewall: Increased strength for higher casing impact resistance



- Sidewall thickness up to 5.0 mm: Protects the sidewall from piercing



- 3.5 mm high "guardrail" protection bar: Blocks gravels to reduce sidewall damage





	Size	PR	Speed Rating	Load Index	Side Wall
15	31×10.50R15LT	6	R	109	BSW
	LT215/75R15	6	S	100/97	RBL
	LT225/75R15	6	S	102/99	BSW
	LT235/75R15	6	R	104/101	BSW
16	215/65R16	-	Т	98	RBL
	LT245/70R16	6	S	111/109	RWL
	LT245/75R16	10	S	120/116	RWL
	LT265/70R16	8	S	117/114	RWL
	LT265/75R16	8	S	119/116	BSW
	LT275/70R16	8	S	119/116	BSW
17	225/60R17	-	Т	99	RBL
	225/65R17	-	Т	102	RBL
	235/65R17	-	Т	104	RBL
	LT265/65R17	10	S	120/117	RWL
	LT265/70R17	10	S	121/118	RWL
	LT275/65R17	10	S	121/118	RWL
18	235/60R18	-	S	103	RBL
	265/60R18	-	S	110	RBL
	285/60R18	-	Т	116	RWL
20	LT285/50R20	10	S	119/116	RWL



EQUAL FORCE CASING DESIGN Improves overall handling, lowers irregular wear, and increases tire life.



Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.



SAFE AND DURABLE

- Wedge pattern design: Improved grip on gravel-paved surface



- Funnel-shaped design of main groove: Better self-cleaning abilities



- "S"-shaped central rib design: Increased traction



- Gum-dipping steel belt: Protects steel wire from water vapor corrosion



- Tread compound with higher natural rubber content: Improved tear resistance of compound



245/65R17

265/65R17

265/70R17

111 BSW

112 RWL

115 RWL



Rim size:

16 - 20 "

Aspect Ratio:

50 - 70

Max. speed:



(2) 190-210 km/h



EQUAL FORCE CASING DESIGN Improves overall handling, lowers irregular wear, and increases tire life.



Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.

	Size	Speed Rating	Load Index	Side Wall		Size	Speed Rating	Load Index	Side Wall	
16	215/65R16	Н	98	BSW	18	215/55R18	Н	95	BSW	١,
	215/70R16	Н	100	BSW		225/55R18	Н	98	BSW	
	225/70R16	Т	103	BSW		235/50R18	Н	97	BSW	
	235/70R16	Н	106	BSW		235/55R18	Н	100	BSW	
	245/70R16	Т	111	RWL		235/60R18	Н	103	BSW	
	255/70R16	Н	111	BSW		245/60R18	Н	105	BSW	
	265/70R16	Т	112	RWL		255/60R18	Н	112	BSW	
17	215/60R17	Н	96	BSW		265/60R18	Н	110	BSW	
	225/55R17	Н	97	BSW	19	225/55R19	Н	99	BSW	
	225/60R17	Н	99	BSW		245/55R19	Н	103	BSW	
	225/65R17	Н	99	BSW	20	285/50R20	٧	116	BSW	
	235/55R17	Н	102	BSW						
	235/60R17	Н	102	BSW						
	235/65R17	Н	104	BSW						



CONTROL AND HANDLING

- Tread compound with the addition of functional resin and highly dispersible white carbon black
- Enhanced grip on wet ground





SAFETY AND MILEAGE

- Double-layer casing structure: Stronger casing for high impact resistance



- Protection bar.design on shoulder prevents sidewall abrasion



- Use of highly elastic rubber system and addition of rubber-reinforcing carbon black: Improved wear resistance of compound





	Size	Speed Rating	Load Index
15	215/75R15	S	100



EQUAL FORCE CASING DESIGN Improves overall handling, lowers irregular wear, and increases tire life.




Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.



SAFE AND STABLE

- Superior pattern design brings excellent handling and ride comfort
- Tread compound design reduces irregular wear



- Five-pitch pattern technology reduces the noise for a quieter and more comfortable ride





	Size	PR	Speed Rating	Load Index
14	165R14C LT	8	S	96/95
	175/75R14C LT	8	N	99/98
	175R14C LT	8	N	99/97
	185R14C LT	8	R	102/100
	215/75R14C LT	8	R	104/101
15	185R15C LT	8	R	103/102
	195/60R15C LT	8	R	95/92
	195/70R15C LT	8	R	99/96
	195R15C LT	8	R	106/104
	215/70R15C LT	8	R	104/101
	225/70R15C LT	8	R	106/103
16	185/75R16C LT	8	R	100/97
	195/75R16C LT	8	S	102/99
	205/75R16C LT	6	R	99/96
	215/70R16C LT	8	Т	106/102
	215/75R16C LT	8	R	107/104



EQUAL FORCE CASING DESIGN Improves overall handling, lowers irregular wear, and increases tire life.



Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.



DURABILITY AND MILEAGE

- Double-layer high-strength casing: Increased casing strength



- Enlarged bead apex strip: Less damage to bead under high load



- Thickened bead wire: Higher strength



- Tread compound with higher wear resistance: Higher wear resistance of compound





	Size	PR	Speed Rating	Load Index
12	155R12C LT	6	N	83/81
13	155R13C LT	8	S	90/88
	165/70R13C LT	6	Т	88/86
	175R13C LT	8	Q	97/95
14	175/70R14C LT	6	S	95/93
	185R14C LT	8	R	102/100
	195R14C LT	8	N	105/103
	205R14C LT	8	N	107/105
15	205/70R15C LT	6	R	104/102
16	195/75R16C LT	10	N	110/108

advanztech

Extra Durable Technology

Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.



DURABILITY AND MILEAGE

EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and

increases tire life.

- Double-layer high-strength steel belt and high-strength nylon cap ply: Enhanced tread rigidity, eliminating deformation



Full nylon ply Double-layer nigh-strength

- High-strength casing with polyester ply: Increased casing strength



- Continuous and large pattern block design: Increased tread block rigidity, eliminating irregular wear



- Wear-resistant tread compound formula for commercial vehicles: Higher wear resistance





	Size	PR	Speed Rating	Load Index
16	6.50R16LT	10	N	107/102
	7.00R16LT	12	N	115/110
	7.50R16LT	14	N	122/118



lowers irregular wear, and increases tire life.

Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.




DURABILITY AND MILEAGE

- Double-layer high-strength steel belt and high-strength nylon cap ply: Enhanced tread rigidity, eliminating deformation



- FEA construction: Optimizes and uniformly distributes contact pressure, Improve wear performance Good performance against irregular wear



- Strong bead design: Improved bead durability, delivering longer service life



- Applied high modulus and low-shrink polyester ply: Strong casing, delivering good load carrying performance for longer service life



- Shallow sipe design: Good wet grip





	Size	PR	Speed Rating	Load Index
16	205/65R16C	8	Т	107/105
	235/65R16C	8	R	115/113
	205/75R16C	10	R	113/111
17	205/70R17C	10	R	115/113

EQUAL FORCE CASING DESIGN

Improves overall handling,
lowers irregular wear, and
increases tire life.




Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.



DURABILITY AND MILEAGE

- Combines with the ultra flat tyre design contour Extraordinary mileage performance, with a smooth wear
- Advanced compound, features a label A on the wet grip.



- Pattern design is suits to handle gravel and small stones that can penetrate the tire and create slow deflations
- Robust carcass construction and reinforced side walls



Drive with **Peace of Mind**

GO UP TO 80 KM/H **FOR UP TO 80 KILOMETERS AFTER COMPLETE AIR LOSS**



Giti Control 288 Run flatire



	Size	Speed Rating	Load Index
17	205/45RF17	W	88
	225/45RF17	W	91
	225/50RF17	W	98
	225/55RF17	W	97
18	225/40RF18	W	92
	225/45RF18	W	95
	225/50RF18	W	95
	235/50RF18	V	97
	245/45ZRF18	Υ	100
	245/50ZRF18	W	100

	Size	Speed Rating	Load Index
18	255/40RF18	W	95
	275/40ZRF18	Υ	99
19	235/45RF19	V	95
	235/45RF19	V	95
	245/40ZRF19	Υ	98
	245/45ZRF19	Υ	98
	275/35ZRF19	Υ	96
	275/40ZRF19	Υ	101
20	245/40ZRF20	Υ	99
	275/35ZRF20	Υ	102





	Size	Rating	Index
17	225/60RF17	V	99
18	255/55RF18	W	109
19	235/55RF19	V	101
	255/50RF19	W	107
20	255/45RF20	W	101
	275/40RF20	W	106
	315/35RF20	W	110



	Size	Speed Rating	
16	205/55RF16	V	91
	225/55RF16	W	95

Giti Tire RunFlat Benefits

PEACE OF MIND

Giti's RunFlat tires give drivers the confidence that they won't be stranded with a flat tire.



THE INNER SUPPORT RING

Inside the tire supports the vehicle after a loss of air pressure, allowing the tire to function and the vehicle to continue on the road.

MORE TRUNK SPACE

Giti's RunFlat tires eliminate the need for a spare tire, allowing for more space to put the things that matter most to you.





Using RunFlat Tire



Giti Tire **RunFlat Comfort**


TREAD

Ensures drivability and durability at zero inflation pressure.




Low heat generating bead filter ensures drivability and durability at zero inflation pressure.

Bead allows the tire to firmly grip to the wheel even the zero inflation pressure.




The optimal use of materials and components reduce the size of self-supporting rubber and reduce the stiffness of tire sidewall, improving riding comfort.

Giti's Self-Supporting RunFlat Tires Offer **Greater Peace of Mind**



Temporary extended mobility for up to distance of 80km at speed of up to 80km/hr.



The pressure decreases immediately and the friction produces heat

General Function of Tires for All Types of Vehicles



1. Weight-bearing
Air pressure and tire
construction are important
factors to carry and sustain
the weight of vehicles.



2. Absorb shocks
Air pressure and tire
construction reduces initial
road vibrations and shocks
before being muted again
by the suspension.




3. Delivering power from the engine
Tires serve to deliver power from the engine to move the vehicle and also provides traction and braking performance.



4. Translating steering wheel movement Tires are very important in controlling the direction of the vehicle, which will determine the maneuvering capability and stability in driving.

Understand Tire Size



Tires have its 'language' to communicate in the form of a series of numbers and letters to indicating data specification, brand and type. It is universal and has been agreed by all tire manufacturers worldwide.

Here are the meanings of these codes:

- 1. Tire width (in mm)
- 2. A tire's aspect ratio is the dimensional relationship of the tire's section height to section width, expressed as a percentage.
- 3. Diameter of wheel (in inches)
- 4. Load Index
- 5. Speed Index

Understand Load Index and Speed Rating

The Speed index is an assigned letter ranging from J to Z that corresponds to the reference maximum speed at the associated load index. Refer to the load index and speed rating tables below.

These two elements put together are called the service description and are mutually dependent. The table below gives the load index and the speed symbol with their corresponding value.

UTQG (Uniform Tire Quality Grades) Rating

The UTQG (Uniform Tire Quality Grades) rating is a labeling requirement by the U.S Department of Transportation for all tire manufacturers. The label of UTQG represents a tire's Treadwear, Traction and **Temperature** resistance. Traction and temperature resistance ratings are specific performance levels, while treadwear ratings are assigned by manufacturers following tests conducted and are reliable when comparing tires of the same brand.



The UTQG rating comprises of 3 components. Treadwear

The treadwear grade indicates the wear rate of a tire and is a comparative rating based on test conducted by tire manufacturers. The grades are not an indication of actual mileage, but can be used as a relative comparison. For example, a grading of 400 should last twice as long as a tire graded 200, given similar driving conditions in the same brand.

Traction

Traction rating is an indication of a tire's ability to stop on wet pavement. The braking distance is indicated by ratings of "AA" (highest braking ability), "A", "B" and "C". Traction rating only indicates straight line wet braking and does not indicate wet cornering abilities of the tire.

Temperature

Temperature resistance rating indicates the tire's ability to withstand heat. It is graded according to a properly inflated and not overloaded tire. It is graded from "C", being the lowest, to "B" and "A" ratings.

Load Index (Symbol and Maximum Load in Lbs & Kg)

LI	Lbs	Kgs	LI	Lbs	Kgs	LI	Lbs	Kg	LI	Lbs	Kg
71	761	345	81	1019	462	91	1356	615	101	1819	825
72	783	355	82	1047	475	92	1389	630	102	1874	850
73	805	365	83	1074	487	93	1433	650	103	1929	875
74	827	375	84	1102	500	94	1477	670	104	1984	900
75	853	387	85	1135	515	95	1521	690	105	2039	925
76	882	400	86	1168	530	96	1565	710	106	2094	950
77	908	412	87	1201	545	97	1609	730	107	2149	975
78	937	425	88	1235	560	98	1653	750	108	2205	1000
79	963	437	89	1279	580	99	1709	775	109	2271	1030
80	992	450	90	1323	600	100	1764	800	110	2337	1060

Speed Rating (Symbol and Maximum Speed in MpH &KmH)

	J	K	L	М	N	Р	Q	R	S	Т	Н	V	W	Υ
МрН	62	68	75	81	87	93	100	106	113	118	130	150	168	188
KmH	100	110	120	130	140	150	160	170	180	190	210	240	270	300

Note: A "ZR" may appear for tires having a maximum speed capability above 240km/h (150 mph)

PASSENGER CAR TIRE OEM PARTNERS



Featured OEM Awards and Recognition:

Giti provides OEM supporting services for to nearly **255** passenger car models world wide, and has been awarded as **Outstanding Supplier** by various car manufacturers in recent years.








Giti Tire Expands Reach in US and European OEM Markets

Giti continues to grow its presence in European and North American automotive OEM markets - including partnerships with US-Produced Volkswagon models and a variety of European companies.

Meanwhile, Giti also has an exciting round of projects soon to be announced in Europe and Asia, including with vehicles in the luxury segment.







AUDI			BYD		BYD	BYD		BYD
AODI	Size	Pattern		Size	Pattern		Size	Pattern
A6/A7	T145/65R20 105M	SPARE TIRE	F3	195/60R15 88H	WINGRO	TANG (FUEL)	245/45R20 103W XL	GitiControl SUV880
	1143, 031120 1031 1	JI AIRE TIRE	CHRIS				235/60R18 103V	GitiComfort SUV520
		000	SURUI	205/55R16 91V	GitiComfort 228	SONG PRO (DM)	225/60R18 100H	GitiComfort SUV520
BAIC	Size	Pattern	E5				235/50R19 99V	GitiControl SUV880
D20	175/65R14 82H	Giti WINGRO		205/55R16 94H	GitiTaxi 900	SONG PLUS	235/55R18 100V	GitiComfort F50
	185/60R14 82H	GitiComfort 221	G6	205/60R16 92H	GitiComfort 221		235/50R19 99V	GitiComfort 225v1
SENOUA D50	205/50R17 93W	GitiComfort 228v1	S6	225/65R17 102H	GitiComfort SUV520	BUICK		
ZHI XING X55	225/50R18 99H	GitiComfort	E6				Size	Pattern
880 A	XL	225		235/65R17 104H	GitiComfort SUV520	EXCELLE	195/65R15 91H	GitiComfort 228
	265/60R18 110H	Giti4×4 HT152	HAN	245/50R18 100V	GitiComfort 225v1			
BEIJING X7	235/60R18 103H	GitiComfort 520v1	YUAN SUV	205/60R16 92V	GitiComfort	BAOJUN	Size	Pattern
X65		GitiComfort			228v1	730	195/55R16	GitiComfort 228
3-0-0	225/60R17 99H	SUV520	SONG	225/60R18 100H	GitiComfort SUV520		205/55R16	GitiComfort
ZHI DA	215/50R17 91V	GitiComfort		225/65R17 102H	GitiComfort 520v1	560		221v1
	205/60R16 92V	228v1	QIN80	205/55R16 94V	GitiComfort 225		215/60R17	GitiComfort SUV520
X25	205/50R16 87V	GitiComfort	E6 TAXI			510	205/60R16	GitiComfort
	195/55R15 85V	228	1	225/65R17 102H	GitiComfort 225	1 1 2	203, 001110	228v1
EU5	215/50R17 95H	GitiComfort 228V1	SONG MAX (FUEL) / DM	215/55R17 94V	GitiComfort			
EU7				225/50R18 99H	225	BORGWA	ARD	V
	225/45R18 95V	GitiComfort 225v1	QIN PRO (DM)	215/55R17 94V	GitiComfort	BX5	Size	Pattern
B80J	LT265/75R16	AdventuroAT	0	225/60R16 98V	228v1		225/65R17 102H	GitiComfort SUV520
	112/109S 6PR	AuventulUAT	QIN PRO (FUEL)	205/55R16 94V	GitiComfort	BX3	215/60R17 96H	GitiComfort
		BYD	0	205/50R17 93W XL	228v1	00	דיסי אחטעוע אַסאַ	520v1
BYD	Circ		QIN PLUS	215/55R17 94H	GitiComfort			
FO	Size	Pattern	00	225/60R16 98H	F22			
	165/60R14 75H	CHAMPIRO 128	TANG (DM)	255/50R20 109V	GitiControl P80			

245/45R20 103V

GitiComfort 225v1

F22

GitiComfort

GitiControl

P80 SUV



EADO





Size



Pattern

CHERY		
	Size	Pattern
Arrizo5EV	205/55 R16 91V	GitiComfort 228v1
Arrizo7	205/55 R16 91V	GitiComfort 228
Arrizo GX	205/50R17 93V	GitiComfort

165/60 R14 75H

255/45R20 101H

Jetour X70

	Size	Pattern
CAVALIER	185/65R15 88H	GitiComfort 220v1
COBALT	185/75R14 89T	CHAMPIRO VP1
SAIL 3	175/70R14 84T	GitiComfort 220v1
CAPTIVA	255/45 ZR20 101Y	CHAMPIRO HPY
SPIN	195/65 R15 91H	CHAMPIRO ECO
MONZA	195/65R15 91H	GitiComfort 228

CHEVROLET

	195/65R15 91H	GitiComfort 228
ALSVIN	195/50R16 84H	GitiComfort 221v1
	195/55R15 85V	GitiComfort 228
CS15	205/55R16 91V	GitiComfort 228v1
	195/65R15 91V	GitiComfort 228
LINMAX	205/55R16 91V	GitiComfort 228v1
CS35 PLUS	225/45R18	GitiComfort 228v1
CS55 PLUS	225/55R18	GitiComfort F50
CS75	225/65R17	GitiComfort

225/60R18

225/65R17

195/65R15 91V

205/65R16 95V

20	235/60R18 103H	F50
Tiggo3	215/60 R17 96H	GitiComfort SUV520
Tiggo5	225/65 R17 102H	GitiComfort
0	225/60 R18 100H	SUV520
Tiggo3X	205/55R16 91V	GitiComfort
=00	205/50R17 93W	228v1
Tiggo5X	215/60R17 96H	GitiComfor
0	215 (55.010, 05.11	520v1

215/55R18 95H

225/65R17 102H

225/60R18 100H

	DA
GitiComfort 228v1	Ayla
GitiComfort 520v1	Luxio
GitiComfort SUV520	New Te
GitiComfort SUV520v1	Rocky





YUE XIANG V3

GitiComfort 225/65R17 102H SUV520

F50

F50

220

GitiComfort

GitiComfort

GitiComfort

228v1

Tiggo8	235/5

Tiggo7

GitiComf 5R18 101H SUV520v

	205/60 R17 94H	LCOTEC
Sigra	155/80 R13 79T	CHAMPIRO ECO
100	175/65 R14 82T	200
Xenia		

185/70 R14 88H

CHAMPIRO

ECO-G



	Size	Pattern
	185/60 R15 84H	GitiComfort 228
Arrizo5	205/50 R17 93W	GitiComfort 228v1

CITRUEN		
	Size	Pattern
C4 SEGA	205/55R16 91V	GitiControl 280v1
ELYSEE	195/55R16 87H	GitiComfort
0 = 0	185/65R15 88H	221
C3-XR		





Pattern

GitiComfort 228




SUCCE



Pattern

205/60R16 92H G i	tiComfort 21
--------------------------	-----------------



CM7	225/55R17 101H	GitiComfort SUV520
E C		507520

LINGZHI		
SALA	215/65R15 100H	Giti WINGRO

JOYEAR X5		
Car Car	215/60R17 96H	GitiComfort SUV520

JOYEAR X3	215/65R16 102H	GitiComfort SUV520

JOYEAR XV	215/65R16 102H	GitiComfort SUV520
-----------	----------------	-----------------------

ESEMKA



	Size	Pattern
BIMA 1.2/1.3	175/65 R14C 6PR 90/88T	MAXMILER PRO

FIAT



	Size	Pattern
Alfo Mito		
-60	T135/70R16 101M	SPARE TIRE
Fiat500		
	S135/80R14 84M	SPARE TIRE
Panda		
1.00	T125/80R15 95M	SPARE TIRE

FOTON



GitiVan 600

	Size	Pattern
UOLUZHE	265/65R17 112T	SAVERO HT
-	265/70R16 112T	PLUS
ENGJING	195R15C LT	CitiVan 600

MPX E	205/70R15 100S	WINGRO

106/104R

MPX S	195/70R15C LT 104/101R	MAXWAY

SAVERO HT P245/70R16 107T PLUS

GAC



	Size	Pattern
Trumpchi GS3	215/55R18 95H	GitiComfort F50

Trumpchi GS4	225/60R17 99H	GitiComfort F50
4		

Trumpchi		
GS5	235/50R19 99V	GitiComfort F50

Trumpchi GA4	205/55R16 91V	GitiComfort F22

GitiComfort

SUV520 GitiComfort

F50

GEELY

NL3



GEELY

EMGRAND EC8



	215/60R16 95V	
EMGRAND EC7	215/55R16 93V	GitiComfort
	205/55R16 91V	228v1
	205/65R15 94H	GitiComfort 228
GX7	225/60R17 99H	GitiComfort
-00	225/65R17 102H	SUV520

215/55R17 94V

Size

SC	195/60R15 88H	GitiComfort 228

VISION	205/55R16 91V	GitiComfort 228v1

VISION S1	215/50R17 91V	GitiComfort 228v1
EMGRAND GL	205/55016 011/	

EMGRAND GL	205/55R16	91V	GitiComfort
0.0	205/50R17	93W	228v1
NL-4AB	225/65R17	102H	GitiComfort

CINUS		SUV520
	225/60R18 100H	GitiComfort F50

FY11/NL-5	235/55R18	GitiComfort F50
VF11	215 (COD17, OCL)	GitiComfort

215/60R17 96H

225/55RI/ 9/V	iitiComfort 28v1

GitiComfort

	235/50R18	97V	GitiComfort F22
VF12	225/60R17	99H	GitiComfort 225
0.0	225/55R18	98V	GitiComfort F22

0 <u>- 0</u> -	553/33KIO 30V	F22
FS11	215/60R16	GitiComfort
	215/55R17	F22
SX11	215/60R17	GitiComfort

A .	215/60R17	SUV520
-A-	215/55R18	GitiComfort F50
SX12		

SX12	215/60R17	GitiComfort F50

225/65R17 102H

225/60R18 100H



GEELY

GE13



Pattern

ECO

CHAMPIRO

B



Pattern

Giti Taxi 900

0R17	94V	GitiComfort	
5R18	95V	F22	



195/65R15 91H

Size


225/5

225/4



GLEAGLE

225/55R18





Size	Pattern
165/60R14 75H	WINGRO



PLUS

GitiComfort

GREAT WALL

	Size	Pattern
ORA	215/50R18 96V XL	GitiComfort 225v1
FENGJUN EV	D225/65D17	SAVEDO UT

0	
C30	185/65R15 88H

108T XL

	185/65R15 88H	228
WINGLE	235/70R16 106T	SAVERO HT PLUS
V-B	215/75R15 100S	Giti4×4 HT150

HAIMA

	Size	Pattern
S5	215/60R17 96H	GitiComfort
Section 1	215/65R16 102H	SUV520
85	225/60R18 100H	GitiComfort
	225/55R19 99H	520v1

HAVAL

	Size	Pattern
HAVAL DAGOU	235/60R19 107H XL	GitiComfort
	235/65R18 106V	F50
FF		





225/65R17 102H GitiComfort SUV520 235/60R18 103H

SAVERO HT P235/65R17 104T **PLUS** GitiComfort 235/65R18 106V 520v1 Н2 GitiComfort 235/55R18 100V SUV520



GitiComfort 225/65R17 102H SUV520

Size

235/65 R16C

121/119R

Size

185/65 R15 88H

175/65 R15 84T

215/55 R17 94V

HINO

BUS DUTRO

HONDA

MOBILIO

NEW JAZZ

MOBILIO

NEW JAZZ

HONDA

CHAMPIRO 185/65 R15 88H ECO

175/65 R15 84T

Size

HYUNDAI



1511711

IJUZU		
	Size	Pattern
BUS ELF	225/75 R16C 118/116R	MAXMILER PRO
TRAGA	195 R14C 8PR 106/104R	MAXMILER PRO

JAC

Pattern

PRO

Pattern

ECO

EC0

HPY

CHAMPIRO

CHAMPIRO

CHAMPIRO

MAXMILER

	Size	Pattern
IC5	215/55R17 94V	GitiComfort F22

IEV6E
- 00

IEV6E		
A	165/65R14 79T	CHAMPIRO
	103/03/11/17/31	128

IEV6E SPORT	185/65R15 88H	GitiComfort 221
IEV7L		

IEV7S	205/55R16 94V XL	GitiComfort 221v1
IFVA50		

IEVA50	205/50R17 93W XL	GitiComfort 225
4.20		

GitiComfort 88H 221





JAC


SZMINI



Pattern	
GitiComfort	
224	









GitiComfort 215/50R17 95V XL F22



GitiComfort 225/55R18 98V SUV520



GitiComfort 235/60R18 103H F50



215/65R16 102H GitiComfort XL







225 GitiComfort 235/50R18 101H F22

GitiComfort



185/75R16LT GitiVan 600 102/99R 8PR



GitiComfort 165/65R14 79T 220



GitiComfort 205/55R16 94V 221v1 205/50R17 93W GitiComfort



JMC

	Size	Pattern
YUE HU 7	P265/70R16 112T	SAVERO HT
	245/70R17 110T	Giti4×4 HT152





Pattern

KING KONG



Size

GitiComfort 221 185/60R15 84H CHAMPIRO 128



GitiComfort 195/55R16 91H 228



175/65R14 WINGRO

LUXGEN

Size

Size

215/60R17

215/55R18

205/60R16

Size

215/55R17 95V

245/65R17

265/60R18

Size

185/65 R15 88H

ļ	7	B	9	į
ĕ	ā	ğ	ą	P
F	ą	į	Ē	

LYNK&CO

MAXUS

MAZDA

G50

T90

GitiControl 215/55R17 94W 280v1

Pattern

LINKECO

Pattern

F50

GitiComfort

GitiComfort

228v1

Pattern

228v1

HT152

GitiComfort

GitiComfort

Pattern

ECO

CHAMPIRO

MITSUBISHI



225/75 R16 10PR

Pattern

MAXMILER

PRO



Pattern

NISSAN



Size

DATSUN GO+ PANCA

CHAMPIRO 155/70 R13 75T ECO



215/75R15 LT 100/975

GitiVan 600

PEUGEOT



	Size	Pattern
301	195/55R16 87H	GitiComfort
50 30	185/65R15 88H	221



GitiComfort 215/50R17 228v1



215/60R17 GitiComfort F50 215/55R18

PROTON





CHAMPIRO 185/60 R14



CHAMPIRO 205/55 ZR16 91W

X70

225/65 R17 102H 225/60 R18 100H

SAVERO SUV

)		
	195 R14 106/104R	Maxmiler CX







SGMW

Size

CONFERO S



Pattern

SOUEAST

SOKONINDO

SUPER CAB

Size

185 R14 102/100R



	Size	Pattern
LOGAN	185/65R15 88H	CHAMPIRO VP1
	185/65 R15 88H	GitiSynergy
	205/60 R16 92H	E1
	T125/70 R16 96M	SPARE TIRE
LOGAN MCV		
	T125/70R16 96M	SPARE TIRE
SANDERO	185/65D15 88H	CHAMPIRO

-003	195/60 R15 92H XL	CHAMPIRO ECO
FORMO	195/60 R15 92H XL	CHAMPIRO ECO
ALMAZ	215/60 R17 96H	SAVERO SUV

	Size	Pattern
DX3	215/55R18 95V	GitiComfort 520v1
DX5	235/55R18 100V	GitiComfort 520v1



- 8		
ALMAZ RS	215/60 R17 96H	SAVERO SUV



MAXMILER

	T125/70R16 96M	SPARE TIRE
STEPWAY	205/60 R16 92H	GitiSynergy E1

SKODA		
	Size	Pattern
KAROQ	215/60R16 95V	GitiPremium SUVPX1
5-0-0	T125/70R1899M	GitiWingro

200	195 R14C 8PR 106/104R	PRO
GLORY 580	225/60 R17 99H	SAVERO SUV
GLORY I-AUTO	225/55 R18 98V	SAVERO SUV
GLORY 560		SAVERO



KAROQ PA	225/55R17 97V	GitiSynergy H2
KAMIQ		

T125/70R1899M

GitiWingro

SPARE TIRE

SPARE TIRE

GLORY 560	215/60 R17 96H	SAVERO SUV
-----------	----------------	---------------

SAIC	

	Size	Pattern
MG GS/ROEWE	215/60R17 96H	GitiComfort SUV520
MG3	185/70R14 88H	Champiro 728
	185/65R15 88H	GitiComfort
	195/55R16 91H	228

OCTAVIA	195/65R15 91H	Comfort
-0	205/55R16 91V	221v1
SUPURB NF	195/60R16 89H	Comfort 228v1

T125/70R18 99M

T145/85 R18

THARU/YETI

SK A+

GitiSynergy

GitiSynergy

SPARE TIRE

H2



SEAT

<u> </u>		
	Size	Pattern
IBIZA	185/70R14 88H	GitiSynergy E1
ATECA	215/60R16 95V	GitiPremium SUVPX1

225/55R17 97V

205/60R16 92H


205/55R16 91H

ATECA PA

ARONA

OUEAS	<u>T</u>	- 2
	Size	Pattern

300EA31		
	Size	Pattern
LANCER	195/55R15 85V	GitiComfort 228
V3	185/60R15 84H	GitiComfort 221
	185/65R14 86H	WINGRO



(







Pattern AVANZA CHAMPIRO 185/70 R14 88H ECO-G

AUDA		
8	175/65 R14 82T	CHAMPIRO ECO

CALYA	175/65 R14 82T	CHAMPIRO ECO
NEW RUSH	215/65 R16 98S	SAVERO SUV

KIJANG INOVA	205/65 R16 95H	CHAMPIRO LUXE
RAIZE	20E/CE D1C 0ELL	

	205/65 R16 95H	CHAMPIRO
5.4	205/60 R17 94H	ECOTEC

CRAFTER

VOLKSWAGEN		
	Size	Pattern
CADDY 5	205/60R16 96H XL	GitiSynergy
8	215/55R17 98H XL	H2
POLO	195/55R16 91V	GitiComfort 228
A	185/70R14 88H	GitiSynergy E1
	185/65R15 88H	GitiComfort 220v1
TOURAN NF		Comfort
40.0	195/60R16 89H	228v1
NCS GP		GitiComfort
=0.0	205/55R16 91V	221v1
NCS NF		
	T125/70R18 99M	SPARE TIRE
LAVIDA		
0	T125/70R16 96M	SPARE TIRE

205/70R17C

115/113R 10PR

GitiVan HD1

VOLKSWAGEN



SANTANA	185/60R15 84T	228
100	175/70R14 84T	GitiComfort 220v1
JETTA	185/60R15 84T	GitiComfort 228
0-	175/70R14 84T	GitiComfort 220v1
PASSAT	235/45 R18 94H	

PASSAT	235/45 R18 94H	GitiComfort
	235/40 R19 92H	A1
	T125/70R18 99M	GitiWingro
POLO NF		

POLO NF	195/55R16 91V XL	GitiSynergy E1
T-ROC	215 /00010 05 /	GitiPremium

4	215/6URI6 95V	SUVPX1
	T125/70R18 99M	SPARE TIRE

GOLF 7	195/65R15 91H	C
	205/55R16 91V	Comfor 221v1

BURA NF	205/55R16 91H	GitiSynergy E1
T-CROSS		GitiSunerau

T-CROSS	205/60R16 92H	GitiSynergy E1
	205/55R16 91H	SPARE TIRE

WEY



YUDO		
	Size	Pattern
1π	205/60R16 92V	GitiComfort 225
3П	215/50R17 91V	GitiComfort 225



www.giti.com